



PRODUCT DATA SHEET

ILCO-MIN 8010 T

- A) Application: e.g. basic material
B) Appearance: -
C) Chemical Description: Tallow Amine, hydrogenated

Product Specification				
Parameter*	Unit	Method	Limits	Typical Value**
Primary Amine	[%]	DHWN-A 1826/AOCS Tf 2a- 64	Min. 95	
Secondary Amine	[%]	DHWN-A 1826/AOCS Tf 2a- 64	Max. 3	
Amine Value	[mgKOH/g]	DHWN-A 1825/AOCS Tf 1a- 64	Min. 207	
Colour Gardner		DHWN-A 1322 / DGF C-IV 4c	Max. 5	
Water content	[%]	DIN 51777/T1/K. Fischer	Max. 0,5	
Iodine Value	[gI ₂ /100g]	DHWN-A 1856 (GC)	Max. 5	
C-Distribution		GC		
< C 16	[%]			5
C 16	[%]			30
C 18	[%]			64
> C 18	[%]			1

Remarks:

* = Data will be determined on each batch and will be on the CoA

** = Statistical Mean out of different batches

Other Data – not relevant for the specification-			
Parameter	Unit	Method	Values
Average Molecular Weight Primary Amine	[g/mol]	Calculated	263
Density@ 70 °C	[g/ml]	DIN 51 757	~ 0,78
Solidification range	[°C]	DIN ISO 3841/AOCS Cc 12-59	~ 42

All information concerning our products and/or all suggestions for handling and use herein are offered in good faith and are believed to be reliable. ILCO Chemikalien GmbH, however makes no warranty as to the accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. Buyer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purpose. The information contained herein supersedes all previously issued bulletins on the subject matter covered.