

BREOX FCC 96


INTRODUCTION

The **BREOX** Sugar Processing range of foam control agents consists of 100% active polyalkylene glycols that have been specifically developed for the suppression of foam in the sugar-beet processing industry.

APPLICATION

BREOX FCC 96 demonstrate excellent stability over a wide pH range, ensuring their effectiveness throughout various stages of sugar beet processing such as, diffusion, liming and carbonation. The components of the polyalkylene glycols are of low polarity and as such, they are also suitable for use in refineries operating the Quentin process.

BREOX FCC 96 is individually designed to operate over specific temperature ranges, thus enabling effective foam control during the cooler transportation and washing stages, in process areas where localised temperature variation is a problem and at normal diffusion temperatures. Typical operating ranges are as follows:



FCC 96:	Exhibiting excellent antifoam performance as a concentrate, FCC 96 is commonly formulated and esterified to further optimise its use.
----------------	---

TYPICAL PROPERTIES

The typical values presented here are believed to be accurate, they should not however be considered to constitute a specification.

Physical Attribute	Analysis Method	Value
		FCC 96
Viscosity @40°C (cSt)	ASTM D 445	260
Density @20°C (kgm ⁻³)	ASTM D 1298	1060
Flash Point (°C) (COC)	ASTM D 92	>250
Cloud Point (°C) (1% aqueous)	ASTM D2500	40
Pour Point (°C)	ASTM D 97	-2
Operating range (°C)	-	40-76

DOSING & FORMULATION

BREOX FCC 96 may be either dosed directly into the system, typically at concentrations in the region of 25-100ppm, by using a micro-metering pump or alternatively can be formulated or further esterified, whilst maintaining high levels of performance. Formulations with water or fatty acids can create lower cost antifoams, with the resultant lower viscosities allowing easier dosing to the system. Such formulations require only simple agitation prior to use and can allow considerable savings to be made by the formulator.

PRODUCT COMPLIANCE

BREOX FCC 96 may be used as antifoams in sugar beet processing up to a maximum dosage level of 150 ppm, in full compliance with the Food and Drug Administration (FDA) Federal Food, Drug and Cosmetic Act and all applicable food additive regulations including 21 CFR § 173.340.

BBREOX FCC 96 is Kosher Pareve (including Passover) certified.

Remarks

Handling & Safety:

A material Safety Data Sheet (MSDS) has been issued describing the health, safety and environmental characteristics of the BREOX FCC range of products together with handling precautions and emergency procedures. This must be consulted and fully understood before storage, handling and use.

Storage:

Revision-No.

2.3-08.2004 Effective August 17, 2004

The product can be stored for at least 2 years at ambient storage conditions and temperature without any deterioration.

All products in the text marked with an © are trademarks of the Cognis group.

The information on product specifications provided herein is only binding to the extent confirmed by Cognis in a written Sales Agreement. COGNIS EXPRESSLY DISCLAIMS ANY RESPONSIBILITY FOR THE SUITABILITY OF THE PRODUCTS FOR ANY SPECIFIC OR PARTICULAR PURPOSES INTENDED BY THE USER. Suggestions for the use and application of the products and guide formulations are given for information purposes only and without commitment. Such suggestions do not release Cognis' customers from testing the products as to their suitability for the customer's intended processes and purposes. Cognis does not assume any liability or risk involved in the use of its products as the conditions of use are beyond its control. The user of the products is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties.

Cognis Performance Chemicals UK Ltd - Charleston Industrial Estate,
Hardley, Hythe, Southampton, SO45 3ZG, UK - Phone +44 (0) 2380 894666
- Fax +44 (0) 2380 234113

F_S

